Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

Associate Editors

C. R. Cantor
V. Luzzati
J. H. Miller
M. F. Moody

Volume 185

5 September to 20 October 1985

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1985, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 185

Number 1, 5 September 1985

Crabtree, G. R., Comeau, C. M., Fowlkes, D. M., Fornace, A. J., Jr, Malley, J. D. and Kant, J. A., Evolution and Structure of the Fibrinogen Genes. Random Insertion of Introns or Selective Loss? 1

Fita, I. and Rossmann, M. G., The Active Center of Catalase 21

McLachlan, A. D. and Boswell, D. R., Confidence Limits for Homology in Protein or Gene Sequences. The *c-myc* Oncogene and Adenovirus E1a Protein 39

Pruss, G. J., DNA Topoisomerase I Mutants. Increased Heterogeneity in Linking Number and other Replicon-dependent Changes in DNA Supercoiling 51

Losson, R., Fuchs, R. P. P. and Lacroute, F., Yeast Promoters *URA1* and *URA3*. Examples of Positive Control 65

Malik, S., Dimitrov, M. and Goldfarb, A., Initiation of Transcription by Bacteriophage T4-modified RNA Polymerase Independently of Host Sigma Factor 83

Springer, M., Plumbridge, J. A., Butler, J. S., Graffe, M., Dondon, J., Mayaux, J. F., Fayat, G., Lestienne, P., Blanquet, S. and Grunberg-Manago, M., Autogenous Control of *Escherichia coli* Threonyl-tRNA Synthetase Expression *in Vivo* . . . 93

Burnett, R. M., Grütter, M. G. and White, J. L., The Structure of the Adenovirus Capsid. I. An Envelope Model of Hexon at 6 Å Resolution 105

Burnett, R. M., The Structure of the Adenovirus Capsid. II. The Packing Symmetry of Hexon and its Implications for Viral Architecture 125

Reedy, M. K. and Reedy, M. C., Rigor Crossbridge Structure in Tilted Single Filament Layers and Flared-X Formations from Insect Flight Muscle 145

Buttner, M. J. and Brown, N. L., RNA Polymerase–DNA Interactions in *Streptomyces*. *In Vitro* Studies of a *S. lividans* Plasmid Promoter with *S. coelicolor* RNA Polymerase 177

Hervé, G., Moody, M. F., Tauc, P., Vachette, P. and Jones, P. T., Quaternary Structure Changes in Aspartate Transcarbamylase Studied by X-ray Solution Scattering. Signal Transmission Following Effector Binding 189

Chiancone, E., Drakenberg, T., Teleman, O. and Forsén, S., Dynamic and Structural Properties of the Calcium Binding Site of Bovine Serine Proteases and Their Zymogens. A Multinuclear Nuclear Magnetic Resonance and Stopped-flow Study . 201

Letters to the Editor

Sherwood, C. and Brayer, G. D., Crystallization and Preliminary Diffraction Data for Iso-1-Cytochrome *c* from Yeast 209

Zappe, H. A. and Maéda, Y., X-ray Diffraction Study of Fast and Slow Mammalian Skeletal Muscle in the Live Relaxed State 211

Jurnak, F., Induction of Elongation Factor Tu-GDP Crystal Polymorphism by Polyethylene Glycol Contaminants 215

Clore, G. M., Gronenborn, A. M., Moss, D. S. and Tickle, I. J., Refinement of the Solution Structure of the *B* DNA Hexamer 5′d(C-G-T-A-C-G)$_2$ on the Basis of Inter-proton Distance Data 219

Number 2, 20 September 1985

Henco, K., Brosius, J., Fujisawa, A., Fujisawa, J.-I., Haynes, J. R., Hoschstadt, J., Kovacic, T., Pasek, M., Schamböck, A., Schmid, J., Todokoro, K., Wälchli, M., Nagata, S. and Weissmann, C., Structural Relationship of Human Interferon Alpha Genes and Pseudogenes. 227

Abeles, A. L., Friedman, S. A. and Austin, S. J., Partition of Unit-copy Miniplasmids to Daughter Cells. III. The DNA Sequence and Functional Organization of the P1 Partition Region 261

van den Heuvel, R., Hendriks, W., Quax, W. and Bloemendal, H., Complete Structure of the Hamster αA Crystallin Gene. Reflection of an Evolutionary History by Means of Exon Shuffling 273

Hagenbüchle, O., Schibler, U., Petrucco, S., Van Tuyle, G. C. and Wellauer, P. K., Expression of Mouse *Amy*-2^a Alpha-amylase Genes is Regulated by Strong Pancreas-specific Promoters 285

Tsang, S. S., Muniyappa, K., Azhderian, E., Gonda, D. K., Radding, C. M., Flory, J. and Chase, J. W., Intermediates in Homologous Pairing Promoted by recA Protein. Isolation and Characterization of Active Presynaptic Complexes 295

Mandelkow, E.-M., Herrmann, M. and Rühl, U., Tubulin Domains Probed by Limited Proteolysis and Subunit-specific Antibodies 311

Shick, V. V., Belyavsky, A. V. and Mirzabekov, A. D., Primary Organization of Nucleosomes. Interaction of Non-histone High Mobility Group Proteins 14 and 17 with Nucleosomes, as Revealed by DNA–Protein Crosslinking and Immunoaffinity Isolation 329

Udvardy, A., Maine, E. and Schedl, P., The 87A7 Chromomere. Identification of Novel Chromatin Structures Flanking the Heat Shock Locus that may Define the Boundaries of Higher Order Domains 341

Meek, K. M. and Chapman, J. A., Glutaraldehyde-induced Changes in the Axially Projected Fine Structure of Collagen Fibrils 359

Azorin, F., Vives, J., Campos, J. L., Jordán, A., Lloveras, J., Puigjaner, L., Subirana, J. A., Mayer, R. and Brack, A., Interaction of DNA with Lysine-rich Polypeptides and Proteins. The Influence of Polypeptide Composition and Secondary Structure . 371

Russell, S. T. and Warshel, A., Calculations of Electrostatic Energies in Proteins. The Energetics of Ionized Groups in Bovine Pancreatic Trypsin Inhibitor 389

Tüchsen, E. and Woodward, C., Hydrogen Exchange Kinetics of Peptide Amide Protons at the Bovine Pancreatic Trypsin Inhibitor Protein–Solvent Interface. 405

Tüchsen, E. and Woodward, C., Mechanism of Surface Peptide Proton Exchange in Bovine Pancreatic Trypsin Inhibitor. Salt Effects and O-protonation 421

Taylor, A. F. and Smith, G. R., Substrate Specificity of the DNA Unwinding Activity of the RecBC Enzyme of *Escherichia coli* 431

Letters to the Editor

Jordan, S. R., Pabo, C. O., Vershon, A. K. and Sauer, R. T., Crystallization of the Arc Repressor 445

Noegel, A., Welker, D. L., Metz, B. A. and Williams, K. L., Presence of Nuclear Associated Plasmids in the Lower Eukaryote *Dictyostelium discoideum* . . . 447

Stillman, D. J., Better M. and Geiduschek, E. P., Electron-microscopic Examination of the Binding of a Large RNA Polymerase III Transcription Factor to a tRNA Gene 451

Wemmer, D. E., Srivenugopal, K. S., Reid, B. R. and Morris, D. R., Nuclear Magnetic Resonance Studies of Polyamine Binding to a Defined DNA Sequence . 457

Number 3, 5 October 1985

Greaves, D. R., Patient, R. K. and Lilley, D. M. J., Facile Cruciform Formation by an $(A\text{-}T)_{34}$ Sequence from a *Xenopus* Globin Gene 461

Perry, M., Thomsen, G. H. and Roeder, R. G., Genomic Organization and Nucleotide Sequence of Two Distinct Histone Gene Clusters from *Xenopus laevis*. Identification of Novel Conserved Upstream Sequence Elements 479

Ching, G. and Inouye, M., Evolution of the Lipoprotein Gene in the Enterobacteriaceae. Cloning and DNA Sequence of the *lpp* Gene from *Proteus mirabilis* 501

Åslund, L., Franzén, L., Westin, G., Persson, T., Wigzell, H. and Pettersson, U., Highly Reiterated Non-coding Sequence in the Genome of *Plasmodium falciparum* is Composed of 21 Base-pair Tandem Repeats 509

Zerbib, D., Gamas, P., Chandler, M., Prentki, P., Bass, S. and Galas, D., Specificity of Insertion of IS*1* 517

Peterson, M. L. and Reznikoff, W. S., Lactose Promoter Mutation P^{r}115 Activates an Overlapping Promoter within the Lactose Control Region 525

Peterson, M. L. and Reznikoff, W. S., Properties of *lac*P2 *in Vivo* and *in Vitro*. An Overlapping RNA Polymerase Binding Site within the Lactose Promoter 535

Broida, J. and Abelson, J., Sequence Organization and Control of Transcription in the Bacteriophage T4 tRNA Region 545

Basaveswara Rao, V. and Black, L. W., DNA Packaging of Bacteriophage T4 Proheads *in Vitro*. Evidence that Prohead Expansion is not Coupled to DNA Packaging . . 565

Castellani, L., Hardwicke, P. M. D. and Vibert, P., Dimer Ribbons in the Three-dimensional Structure of Sarcoplasmic Reticulum 579

Wang, D., Bode, W. and Huber, R., Bovine Chymotrypsinogen A. X-ray Crystal Structure Analysis and Refinement of a New Crystal Form at 1·8 Å Resolution . . 595

Kirkegaard, K. and Wang, J. C., Bacterial DNA Topoisomerase I Can Relax Positively Supercoiled DNA Containing a Single-stranded Loop 625

Chétrite, G. and Cassoly, R., Affinity of Hemoglobin for the Cytoplasmic Fragment of Human Erythrocyte Membrane Band 3. Equilibrium Measurements at Physiological pH using Matrix-bound Proteins: the Effects of Ionic Strength, Deoxygenation and of 2,3-Diphosphoglycerate. 639

Letters to the Editor

Freier, S. M., Sinclair, A., Neilson, N. and Turner, D. H., Improved Free Energies for G·C Base-pairs 645

McClelland, A., Linkage of a *Drosophila melanogaster* U1 Small Nuclear RNA Gene to the Larval Serum Protein 1-β Gene. 649

Gehrig, L. M. B., Delbaere, L. T. J. and Drapeau, G. R., Preliminary X-ray Data for Staphylococcal Protease 651

Errata. 653

Announcement 657

Number 4, 20 October 1985

Cummings, D. J., MacNeil, I. A., Domenico, J. and Matsuura, E. T., Excision–Amplification of Mitochondrial DNA During Senescence in *Podospora anserina*. DNA Sequence Analysis of Three Unique "Plasmids" 659

Craig, S., Hollecker, M., Creighton, T. E. and Pain, R. H., Single Amino Acid Mutations Block a Late Step in the Folding of β-Lactamase from *Staphylococcus aureus* 681

Lefevre, J.-F., Lane, A. N. and Jardetzky, O., Nuclear Magnetic Resonance Study of the Proton Exchange Rate in the Operator–Promoter DNA Sequence of the *trp* Operon of *Escherichia coli* 689

Freedman, L. P., Zengel, J. M. and Lindahl, L., Genetic Dissection of Stringent Control and Nutritional Shift-up Response of the *Escherichia coli* S10 Ribosomal Protein Operon 701

Tomcsányi, T. and Apirion, D., Processing Enzyme Ribonuclease E Specifically Cleaves RNA I. An Inhibitor of Primer Formation in Plasmid DNA Synthesis 713

Rinke, J., Appel, B., Digweed, M. and Lührmann, R., Localization of a Base-paired Interaction between Small Nuclear RNAs U4 and U6 in intact U4/U6 Ribonucleoprotein Particles by Psoralen Cross-linking 721

Kaufmann, E., Weber, K. and Geisler, N., Intermediate Filament Forming Ability of Desmin Derivatives Lacking either the Amino-terminal 67 or the Carboxy-terminal 27 Residues 733

Guest, J. R., Lewis, H. M., Graham, L. D., Packman, L. C. and Perham, R. N., Genetic Reconstruction and Functional Analysis of the Repeating Lipoyl Domains in the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli* 743

Kim, K. and Meyer, R. J., Copy Number of the Broad Host-range Plasmid R1162 is Determined by the Amounts of Essential Plasmid-encoded Proteins 755

Mayford, M. and Weisblum, B., Messenger RNA from *Staphylococcus aureus* that Specifies Macrolide–Lincosamide–Streptogramin Resistance. Demonstration of its Conformations and of the Leader Peptide it Encodes 769

Letter to the Editor

Choe, H.-W., Jakob, R., Hahn, U. and Pal, G. P., Crystallization of the Activated Ternary Complex of Ribulose-1,5-bisphosphate Carboxylase-Oxygenase Isolated from *Rhodospirillum rubrum* and from an *Escherichia coli* Clone 781

Errata 785

Index to Volume 185

ABLES, A. L., FRIEDMAN, S. A. & AUSTIN, S. J., Partition of unit-copy miniplasmids to daughter cells. III. The DNA sequence and functional organization of the P1 partition region, 261

ABELSON, J. (see also BROIDA, J.), 545

Active center of catalase, 21

Adenovirus capsid structure. An envelope model of hexon at 6 Å resolution, 105

Adenovirus capsid structure. The packing symmetry of hexon and its implication for viral architecture, 125

Adenovirus E1a protein and the c-*myc* oncogene; confidence limits for homology in protein or gene sequences, 39

Amide peptide protons, hydrogen kinetics at the bovine pancreatic trypsin inhibitor protein-solvent interface, 405

Amino-terminal 67 residues lacking in derivative of desmin, and intermediate filament forming ability, 733

Amy-2^a alpha-amylase genes, mouse, expression is regulated by strong pancreas-specific promoters, 287

Antibodies, subunit-specific, and limited proteolysis, in probing of tubulin domains, 311

APIRION, D. (see also TOMCSÁINYI, T.), 713

APPEL, B. (see also RINKE, J.), 721

Arc repressor, crystallization, 445

ÅSLUND, L., FRANZÉN, L., WESTIN, G., PERSSON, T., WIGZELL, H. & PETTERSSON U., Highly reiterated non-coding sequence in the genome of *Plasmodium falciparum* is composed of 21 base-pair tandem repeats, 509

Aspartate transcarbamylase, quaternary structure changes studied by X-ray solution scattering. Signal transmission following effector binding, 189

$(A\text{-}T)_{34}$ sequence from a *Xenopus* globin gene, and facile cruciform formation, 461

AUSTIN, S. J. (see also ABELES, A. L.), 261

AZHDERIAN, E. (see also TSANG, S. S.), 295

AZORIN, F., VIVES, J., CAMPOS, J. L. JORDÁN, A., LLOVERAS, J., PUIGJANER, L., SUBIRANA, J. A., MAYER, R. & BRACK, A., Interaction of DNA with lysine-rich polypeptides and proteins. The influence of polypeptide composition and secondary structure, 371

Bacterial DNA topoisomerase I can relax positively supercoiled DNA containing a single-stranded loop, 625

Bacteriophage T4 proheads, DNA packaging *in vitro*. Evidence that prohead expansion is not coupled to DNA packaging, 565

Bacteriophage T4 tRNA region, sequence organization and control of transcription, 545

Bacteriophage T4-modified RNA polymerase, initiation of transcription independently of host sigma factor, 83

BASAVESWARA RAO, V. & BLACK, L. W., DNA packaging of bacteriophage T4 proheads *in vitro*. Evidence that prohead expansion is not coupled to DNA packaging, 565

Base-paired interaction between small nuclear RNAs U4 and U6 in intact U4/U6 ribonucleoprotein particles, localization by psoralen cross-linking, 721

Base-pairs, G·C, improved free energies, 645

BASS, S. (see also ZERBIB, D.), 517

BELYAVSKY, A. V. (see also SHICK, V. V.), 329

BETTER, M. (see also STILLMAN, D. J.), 451

Binding of a large RNA polymerase II transcription factor to a tRNA gene, electron-microscopic examination, 451

Binding, polyamine, to a defined DNA sequence; n.m.r. studies, 457

Binding site, calcium, of bovine serine proteases and their zymogens, dynamic and structural properties; a multinuclear n.m.r. and stopped-flow study, 201

Binding site, RNA polymerase, overlapping, within the lactose promoter. Properties of *lac* P2 *in vivo* and *in vitro*, 535

BLACK, L. W. (see also BASAVESWARA RAO, V.), 565

BLANQUET, S. (see also SPRINGER, M.), 93

BLOEMENDAL, H. (see also VAN DEN HEUVEL, R.), 273

BODE, W. (see also WANG, D.), 595

BOSWELL, D. R. (see also MCLACHLAN, A. D.), 39

Bovine chymotrypsinogen A. X-ray crystal structure analysis and refinement of a new crystal form at 1·8 Å resolution, 595

Bovine pancreatic trypsin inhibitor, the energetics of ionized groups; calculations of electrostatic energies in proteins, 389

Bovine pancreatic trypsin inhibitor, mechanism of surface peptide proton exchange; salt effects and O-protonation, 421

Bovine pancreatic trypsin inhibitor protein–solvent interface, hydrogen kinetics of peptide amide protons, 405

Bovine serine proteases and their zymogens, dynamic and structural properties of the calcium binding site; a multinuclear n.m.r. and stopped-flow study, 201

BRACK, A. (see also AZORIN, F.), 371

BRAYER, G. D. (see also SHERWOOD, C.), 209

BROIDA, J. & ABELSON, J., Sequence organization and control of transcription in the bacteriophage T4 tRNA region, 545

BROWN, N. L. (see also BUTTNER, M. J.), 177

BROSIUS, J. (see also HENCO, K.), 227

BURNETT, R. M., The structure of the adenovirus capsid. II. The packing symmetry of hexon and its implications for viral architecture, 125

BURNETT, R. M., GRÜTTER, M. G. & WHITE, J. L., The structure of the adenovirus capsid. I. An envelope model of hexon at 6 Å resolution, 105

BUTLER, J. S. (see also SPRINGER, M.), 93

BUTTNER, M. J. & BROWN, N. L., RNA polymerase–DNA interactions in *Streptomyces*. *In vitro* studies of a *S. lividans* plasmid promoter with *S. coelicolor* RNA polymerase, 177

Calcium binding site of bovine serine proteases and their zymogens, dynamic and structural properties; a multinuclear n.m.r. and stopped-flow study, 201

CAMPOS, J. L. (see also AZORIN, F.), 371

Capsid structure, adenovirus; an envelope model of hexon at 6 Å resolution, 105

Capsid structure, adenovirus; the packing symmetry of hexon and its implications for viral architecture, 125

Carboxy-terminal 27 residues lacking in derivative of desmin, and intermediate filament forming ability, 733

CASSOLY, R. (see also CHÉTRITE, G.), 639

CASTELLANI, L., HARDWICKE, P. M. D. & VIBERT, P., Dimer ribbons in the three-dimensional structure of sarcoplasmic reticulum, 579

Catalase, the active centre, 21

CHANDLER, M. (see also ZERBIB, D.), 517

CHAPMAN, J. A. (see also MEEK, K. M.), 359

CHASE, J. W. (see also TSANG, S. S.), 295

CHÉTRITE, G. & CASSOLY, R., Affinity of hemoglobin for the cytoplasmic fragment of human erythrocyte membrane band 3. Equilibrium measurements at physiological pH using matrix-bound proteins: the effect of ionic strength, deoxygenation and of 2,3-diphosphoglycerate, 639

CHIANCONE, E., DRAKENBERG, T., TELEMAN, O. & FORSÉN, S., Dynamic and structural properties of the calcium binding site of bovine serine proteases and their zymogens. A multinuclear nuclear magnetic resonance and stopped-flow study, 201

CHING, G. & INOUYE, M., Evolution of the lipoprotein gene in the Enterobacteriaceae. Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*, 501

CHOE, H.-W., JAKOB, R., HAHN, U. & PAL, G. P., Crystallization of the activated ternary complex of ribulose-1,5-biphosphate carboxylase-oxygenase isolated from *Rhodospirillum rubrum* and from an *Escherichia coli* clone, 781

Chromatin structures, novel, flanking the heat shock locus, that may define the boundaries of higher order domains. The 87A7 chromomere, 341
Chromomere 87A7. Identification of novel chromatin structures flanking the heat shock locus that may define the boundaries of higher order domains, 341
Chymotrypsinogen A, bovine. X-ray crystal structure analysis and refinement of a new crystal form at 1·8 Å resolution, 595
Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*. Evolution of the lipoprotein gene in the Enterobacteriaceae, 501
CLORE, G. M., GRONENBORN, A. M., MOSS, D. S. & TICKLE, I. J., Refinement of the solution structure of the *B* DNA hexamer 5′d(C-G-T-A-C-G)$_2$ on the basis of inter-proton distance data, 219
c-*myc* oncogene and adenovirus E1a protein. Confidence limits for homology in protein or gene sequences, 39
Collagen fibrils, glutaraldehyde-induced changes in the axially projected fine structure, 359
COMEAU, C. M. (see also CRABTREE, G. R.), 1
Confidence limits for homology in protein or gene sequences. The c-*myc* oncogene and adenovirus E1a protein, 39
Conformations of mRNA *Staphylococcus aureus* that specifies macrolide-lincosamide-streptogramin resistance, 769
Copy number of the broad host-range plasmid R1162 is determined by the amounts of essential plasmid-encoded proteins, 755
CRABTREE, G. R., COMEAU, C. M., FOWLKES, D. M., FORNACE, A. J. JR, MALLEY, J. D. & KANT, J. A., Evolution and structure of the fibrinogen genes. Random insertion of introns or selective loss?, 1
CRAIG, S., HOLLECKER, M., CREIGHTON, T. E. & PAIN, R. H., Single amino acid mutations block a late step in the folding of β-lactamase from *Staphylococcus aureus*, 681
CREIGHTON, T. E. (see also CRAIG, S.), 681
Crossbridge, rigor, structure in tilted single filament layers and flared-X formations from insect flicht muscle, 145
Cruciform formation by an (A-T)$_{34}$ sequence from a *Xenopus* globin gene, 461
Crystal polymorphism, elongation factor Tu-GDP, induction by polyethylene glycol contaminants, 215
αA Crystallin gene, hamster, complete structure; reflection of an evolutionary history by means of exon shuffling, 273
Crystallization of the activated ternary complex of ribulose-1,5-bisphosphate carboxylase-oxygenase isolated from *Rhodospirillum rubrum* and from an *Escherichia coli* clone, 781
Crystallization of the Arc repressor, 445
Crystallization and preliminary diffraction data for iso-1-cytochrome *c* from yeast, 209
CUMMINGS, D. J., MACNEIL, I. A., DOMENICO, J. & MATSUURA, E. T., Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*. DNA sequence analysis of three unique "plasmids", 659
Cytoplasmic fragment of human erythrocyte membrane band 3, and hemoglobin affinity, 639

DELBAERE, L. T. J. (see also GEHRIG, L. M. B.), 651
DNA interaction with lysine-rich polypeptides and proteins. The influence of polypeptide composition and secondary structure, 371
DNA interactions with RNA polymerase in *Streptomyces*. *In vitro* studies of a *S. lividans* plasmid promoter with *S. coelicolor* RNA polymerase, 177
DNA packaging of bacteriophage T4 proheads *in vitro*. Evidence that prohead expansion is not coupled to DNA packaging, 565
DNA–protein crosslinking and immunoaffinity isolation reveal interaction of non-histone high mobility group proteins 14 and 17 with nucleosomes; primary organization of nucleosomes, 329
DNA sequence analysis of three unique "plasmids". Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*, 659
DNA sequence, defined, n.m.r. studies of polyamine binding, 457
DNA sequence and functional organization of the P1 partition region. Partition of unit-copy miniplasmids to daughter cells, 261
DNA sequence of the *lpp* gene from *Proteus mirabilis*. Evolution of the lipoprotein gene in the Enterobacteriaceae, 501
DNA sequence, operator-promoter, of the *trp* operon of *Escherichia coli*, n.m.r. study of the proton exchange rate, 689
DNA topoisomerase I, bacterial, can relax positively supercoiled DNA containing a single-stranded loop, 625
DNA topoisomerase I mutants. Increased heterogeneity in linking number and other replicon-dependent changes in DNA supercoiling, 51
DNA unwinding activity of the RecBC enzyme *Escherichia coli*, substrate specificity, 431
B DNA hexamer 5′d(C-G-T-A-C-G)$_2$, refinement of the solution structure on the basis of inter-proton distance data, 219
Desmin derivatives lacking either the amino-terminal 67 or the carboxy-terminal 27 residues, and intermediate filament forming ability, 733
Dictyostelium discoideum, presence of nuclear associated plasmids, 447
DIGWEED, M. (see also RINKE, J.), 721
Dimer ribbons in the three-dimensional structure of sarcoplasmic reticulum, 579
DIMITROV, M. (see also MALIK, S.), 83
2,3-Diphosphoglycerate and the affinity of hemoglobin for the cytoplasmic fragment of human erythrocyte membrane band 3, 639
Domains, higher order, boundaries may be defined by novel chromatin structures flanking the heat shock locus; the 87A7 chromomere, 341
DOMENICO, J. (see also CUMMINGS, D. J.), 659
DONDON, J. (see also SPRINGER, M.), 93
DRAKENBERG, T. (see also CHIANCONE, E.), 201
DRAPEAU, G. R. (see also GEHRIG, L. M. B.), 651
Drosophila melanogaster U1 small nuclear RNA gene, linkage to the larval serum protein 1-β gene, 649
Dynamic and structural properties of the calcium binding site of bovine serine proteases and their zymogens. A multinuclear n.m.r. and stopped-flow study, 201

Electron-microscopic examination of the binding of a large RNA polymerase III transcription factor to a tRNA gene, 451
Electrostatic energies in proteins, calculations; the energetics of ionized groups in bovine pancreatic trypsin inhibitor, 389
Elongation factor Tu-GDP crystal polymorphism induction by polyethylene glycol contaminants, 215
Energetics of ionized groups in bovine pancreatic trypsin inhibitor; calculations of electrostatic energies in proteins, 389
Enterobacteriaceae, evolution of the lipoprotein gene. Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*, 501
Erythrocyte membrane band 3, human, affinity of hemoglobin for the cytoplasmic fragment, 639
Escherichia coli clone and *Rhodospirillum rubrum*, and crystallization of the activated ternary complex of ribulose-1,5-bisphosphate carboxylase-oxygenase, 781
Escherichia coli, genetic reconstruction and functional analysis of the repeating lipoyl domains in the pyruvate dehydrogenase multienzyme complex, 743
Escherichia coli, n.m.r. study of the proton exchange rate in the operator-promoter DNA sequence of the *trp* operon, 689
Escherichia coli S10 ribosomal protein operon, genetic dissection of stringent control and nutritional shift-up response, 701
Escherichia coli, substrate specificity of the DNA unwinding activity of the RecBC enzyme, 431
Escherichia coli threonyl-tRNA synthetase expression *in vivo*, autogenous control, 93
Evolution of the lipoprotein gene in the Enterobacteriaceae. Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*, 501
Evolution and structure of the fibrinogen genes. Random insertions of introns or selective loss?, 1
Evolutionary history and exon shuffling. Complete structure of the hamster αA crystallin gene, 273
Excision-amplification of mitochondrial DNA during senescence

in *Podospora anserina*. DNA sequence analysis of three unique "plasmids", 659
Exon shuffling and evolutionary history. Complete structure of the hamster αA crystallin gene, 273

Fayat, G. (see also Springer, M.), 93
Fibrinogen genes, evolution and structure; random insertion of introns or selective loss?, 1
Filament, intermediate, forming ability of desmin derivatives lacking either the amino-terminal 67 or the carboxy-terminal 27 residues, 733
Filament layers, tilted, and flared-X formations from insect flight muscle, rigor crossbridge structure, 145
Fita, I. & Rossmann, M. G., The active center of catalase, 21
5′d(C-G-T-A-C-G)$_2$ hexamer, *B* DNA, refinement of the solution structure on the basis of inter-proton distance data, 219
Flory, J. (see also Tsang, S. S.), 295
Folding of β-lactamase from *Staphylococcus aureus*, single amino acid mutations block a late step, 681
Forance, A. J., Jr (see also Crabtree, G. R.), 1
Forsén, S. (see also Chiancone, E.), 201
Fowlkes, D. M. (see also Crabtree, G. R.), 1
Franzén, L. (see also Åslund, L.), 509
Free energies, improved for G·C base-pairs, 645
Freedman, L. P., Zengel, J. M. & Lindahl, L., Genetic dissection of stringent control and nutritional shift-up response of the *Escherichia coli* S10 ribosomal protein operon, 701
Freier, S. M., Sinclair, A., Neilson, N. & Turner, D. H., Improved free energies for G·C base-pairs, 645
Friedman, S. A. (see also Abeies, A. L.), 261
Fuchs, R. P. P. (see also Losson, R.), 65
Fujisawa, A. (see also Henco, K.), 227
Fujisawa, J.-I. (see also Henco, K.), 227

Galas, D. (see also Zerbib, D.), 517
Gamas, P. (see also Zerbib, D.), 517
G·C base-pairs, improved free energies, 645
Gehrig, L. M. B., Delbaere, L. T. J. & Drapeau, G. R., Preliminary X-ray data for staphylococcal protease, 651
Geiduschek, E. P. (see also Stillman, D. J.), 451
Geisler, N. (see also Kaufmann, E.), 733
Gene clusters, histone, from *Xenopus laevis*, genomic organization and nucleotide sequence; identification of novel conserved upstream sequence elements, 479
Gene, αA crystallin, hamster, complete structure; reflection of an evolutionary history by means of exon shuffling, 273
Gene, globin, *Xenopus*, and facile cruciform formation by an (A-T)$_{34}$ sequence, 461
Gene, lipoprotein, evolution in the Enterobacteriaceae. Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*, 501
Gene sequences, confidence limits for homology; the c-*myc* oncogene and adenovirus E1a protein, 39
Gene, tRNA, binding to a large RNA polymerase III transcription factor; electron-microscopic examination, 451
Gene, U1 small nuclear RNA, *Drosophila melanogaster*, linkage to the larval serum protein 1-β gene, 649
Genes, fibrinogen, evolution and structure; random insertion of introns or selective loss?, 1
Genes, mouse *Amy*-2^a alpha-amylase, expression is regulated by strong pancreas-specific promoters, 285
Genes: structural relationship of human interferon alpha genes and pseudogenes, 227
Genetic dissection of stringent control and nutritional shift-up response of the *Escherichia coli* S10 ribosomal protein operon, 701
Genetic reconstruction and functional analysis of the repeating lipoyl domains in the pyruvate dehydrogenase multienzyme complex of *Escherichia coli*, 743
Genome of *Plasmodium falciparum*, highly reiterated non-coding sequence is composed of 21 base-pair tandem repeats, 509
Genomic organization and nucleotide sequence of two distinct histone gene clusters from *Xenopus laevis*. Identification of novel conserved upstream sequence elements, 479
Globin gene, *Xenopus*, and cruciform formation by an (A-T)$_{34}$ sequence, 461
Glutaraldehyde-induced changes in the axially projected fine structure of collagen fibrils, 359
Goldfarb, A. (see also Malik, S.), 83
Gonda, D. K. (see also Tsang, S. S.), 295
Graffe, M. (see also Springer, M.), 93
Graham, L. D. (see also Guest, J. R.), 743
Greaves, D. R., Patient, R. K. & Lilley, D. M. J., Facile cruciform formation by an (A-T)$_{34}$ sequence from a *Xenopus* globin gene, 461
Gronenborn, A. M. (see also Clore, G. M.), 219
Grunberg-Manago, M. (see also Springer, M.), 93
Grütter, M. G. (see also Burnett, R. M.), 105
Guest, J. R., Lewis, H. M., Graham, L. D., Packman, L. C. & Perham, R. N., Genetic reconstruction and functional analysis of the repeating lipoyl domains in the pyruvate dehydrogenase multienzyme complex of *Escherichia coli*, 743

Hagenbüchle, O., Schibler, U., Petrucco, S., Van Tuyle, G. C. & Wellauer, P. K., Expression of mouse *Amy*-2^a alpha-amylase genes is regulated by strong pancreas-specific promoters, 285
Hahn, U. (see also Choe, H.-W.), 781
Hamster αA crystallin gene, complete structure; reflection of an evolutionary history by means of exon shuffling, 273
Hardwicke, P. M. D. (see also Castellani, L.), 579
Haynes, J. R. (see also Henco, K.), 227
Heat shock locus flanked by novel chromatin structures that may define the boundaries of higher order domains; the 87A7 chromomere, 341
Hemoglobin affinity for the cytoplasmic fragment of human erythrocyte membrane band 3, 639
Henco, K., Brosius, J., Fujisawa, A., Fujisawa, J.-I., Haynes, J. R., Hochstadt, J., Kovacic, T., Pasek, M., Schamböck, A., Schmid, J., Todokoro, K., Wälchli, M., Nagata, S. & Weissmann, C., Structural relationship of human interferon alpha genes and pseudogenes, 227
Hendriks, W. (see also Van Den Heuvel, R.), 273
Herrmann, M. (see also Mandelkow, E.-M.), 311
Hervé, G., Moody, M. F., Tauc, P., Vachette, P. & Jones, P. T., Quarternary structure changes in aspartate transcarbamylase studied by X-ray solution scattering. Signal transmission following effector binding, 189
Hexon envelope model at 6 Å resolution. The structure of the adenovirus capsid, 105
Hexon packing symmetry and its implications for viral architecture. The structure of adenovirus capsid, 125
High mobility group proteins 14 and 17, interaction with nucleosomes, as revealed by DNA–protein crosslinking and immunoaffinity isolation; primary organization of nucleosomes, 329
Histone gene clusters from *Xenopus laevis*, genomic organization and nucleotide sequence; identification of novel conserved upstream sequence elements, 479
Hochstadt, J. (see also Henco, K.), 227
Hollecker, M. (see also Craig, S.), 681
Homology confidence limits in protein or gene sequences. The c-*myc* oncogene and adenovirus E1a protein, 39
Huber, R. (see also Wang, D.), 595
Human erythrocyte membrane band 3, affinity of hemoglobin for the cytoplasmic fragment, 639
Human interferon alpha genes and pseudogenes, structural relationship, 227
Hydrogen kinetics of peptide amide protons at the bovine pancreatic trypsin inhibitor protein–solvent interface, 405

Immunoaffinity isolation and DNA–protein crosslinking reveal interaction of non-histone high mobility group proteins 14 and 17 with nucleosomes; primary organization of nucleosomes, 329
Inouye, M. (see also Ching, G.), 501
Insect flight muscle, rigor crossbridge structure in tilted single filament layers and flared-X formations, 145
Interferon, human, alpha genes and pseudogenes; structural relationship, 227
Intermediate filament forming ability of desmin derivatives lacking either the amino-terminal 67 or the carboxy-terminal 27 residues, 733

Chromatin structures, novel, flanking the heat shock locus, that may define the boundaries of higher order domains. The 87A7 chromomere, 341
Chromomere 87A7. Identification of novel chromatin structures flanking the heat shock locus that may define the boundaries of higher order domains, 341
Chymotrypsinogen A, bovine. X-ray crystal structure analysis and refinement of a new crystal form at 1·8 Å resolution, 595
Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*. Evolution of the lipoprotein gene in the Enterobacteriaceae, 501
Clore, G. M., Gronenborn, A. M., Moss, D. S. & Tickle, I. J., Refinement of the solution structure of the *B* DNA hexamer 5′d(C-G-T-A-C-G)$_2$ on the basis of inter-proton distance data, 219
c-*myc* oncogene and adenovirus E1a protein. Confidence limits for homology in protein or gene sequences, 39
Collagen fibrils, glutaraldehyde-induced changes in the axially projected fine structure, 359
Comeau, C. M. (see also Crabtree, G. R.), 1
Confidence limits for homology in protein or gene sequences. The c-*myc* oncogene and adenovirus E1a protein, 39
Conformations of mRNA *Staphylococcus aureus* that specifies macrolide-lincosamide-streptogramin resistance, 769
Copy number of the broad host-range plasmid R1162 is determined by the amounts of essential plasmid-encoded proteins, 755
Crabtree, G. R., Comeau, C. M., Fowlkes, D. M., Fornace, A. J. Jr, Malley, J. D. & Kant, J. A., Evolution and structure of the fibrinogen genes. Random insertion of introns or selective loss?, 1
Craig, S., Hollecker, M., Creighton, T. E. & Pain, R. H., Single amino acid mutations block a late step in the folding of β-lactamase from *Staphylococcus aureus*, 681
Creighton, T. E. (see also Craig, S.), 681
Crossbridge, rigor, structure in tilted single filament layers and flared-X formations from insect flicht muscle, 145
Cruciform formation by an (A-T)$_{34}$ sequence from a *Xenopus* globin gene, 461
Crystal polymorphism, elongation factor Tu-GDP, induction by polyethylene glycol contaminants, 215
αA Crystallin gene, hamster, complete structure; reflection of an evolutionary history by means of exon shuffling, 273
Crystallization of the activated ternary complex of ribulose-1,5-bisphosphate carboxylase-oxygenase isolated from *Rhodospirillum rubrum* and from an *Escherichia coli* clone, 781
Crystallization of the Arc repressor, 445
Crystallization and preliminary diffraction data for iso-1-cytochrome *c* from yeast, 209
Cummings, D. J., MacNeil, I. A., Domenico, J. & Matsuura, E. T., Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*. DNA sequence analysis of three unique "plasmids", 659
Cytoplasmic fragment of human erythrocyte membrane band 3, and hemoglobin affinity, 639

Delbaere, L. T. J. (see also Gehrig, L. M. B.), 651
DNA interaction with lysine-rich polypeptides and proteins. The influence of polypeptide composition and secondary structure, 371
DNA interactions with RNA polymerase in *Streptomyces*. *In vitro* studies of a *S. lividans* plasmid promoter with *S. coelicolor* RNA polymerase, 177
DNA packaging of bacteriophage T4 proheads *in vitro*. Evidence that prohead expansion is not coupled to DNA packaging, 565
DNA–protein crosslinking and immunoaffinity isolation reveal interaction of non-histone high mobility group proteins 14 and 17 with nucleosomes; primary organization of nucleosomes, 329
DNA sequence analysis of three unique "plasmids". Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*, 659
DNA sequence, defined, n.m.r. studies of polyamine binding, 457
DNA sequence and functional organization of the P1 partition region. Partition of unit-copy miniplasmids to daughter cells, 261
DNA sequence of the *lpp* gene from *Proteus mirabilis*. Evolution of the lipoprotein gene in the Enterobacteriaceae, 501
DNA sequence, operator-promoter, of the *trp* operon of *Escherichia coli*, n.m.r. study of the proton exchange rate, 689
DNA topoisomerase I, bacterial, can relax positively supercoiled DNA containing a single-stranded loop, 625
DNA topoisomerase I mutants. Increased heterogeneity in linking number and other replicon-dependent changes in DNA supercoiling, 51
DNA unwinding activity of the RecBC enzyme *Escherichia coli*, substrate specificity, 431
B DNA hexamer 5′d(C-G-T-A-C-G)$_2$, refinement of the solution structure on the basis of inter-proton distance data, 219
Desmin derivatives lacking either the amino-terminal 67 or the carboxy-terminal 27 residues, and intermediate filament forming ability, 733
Dictyostelium discoideum, presence of nuclear associated plasmids, 447
Digweed, M. (see also Rinke, J.), 721
Dimer ribbons in the three-dimensional structure of sarcoplasmic reticulum, 579
Dimitrov, M. (see also Malik, S.), 83
2,3-Diphosphoglycerate and the affinity of hemoglobin for the cytoplasmic fragment of human erythrocyte membrane band 3, 639
Domains, higher order, boundaries may be defined by novel chromatin structures flanking the heat shock locus; the 87A7 chromomere, 341
Domenico, J. (see also Cummings, D. J.), 659
Dondon, J. (see also Springer, M.), 93
Drakenberg, T. (see also Chiancone, E.), 201
Drapeau, G. R. (see also Gehrig, L. M. B.), 651
Drosophila melanogaster U1 small nuclear RNA gene, linkage to the larval serum protein 1-β gene, 649
Dynamic and structural properties of the calcium binding site of bovine serine proteases and their zymogens. A multinuclear n.m.r. and stopped-flow study, 201

Electron-microscopic examination of the binding of a large RNA polymerase III transcription factor to a tRNA gene, 451
Electrostatic energies in proteins, calculations; the energetics of ionized groups in bovine pancreatic trypsin inhibitor, 389
Elongation factor Tu-GDP crystal polymorphism induction by polyethylene glycol contaminants, 215
Energetics of ionized groups in bovine pancreatic trypsin inhibitor; calculations of electrostatic energies in proteins, 389
Enterobacteriaceae, evolution of the lipoprotein gene. Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*, 501
Erythrocyte membrane band 3, human, affinity of hemoglobin for the cytoplasmic fragment, 639
Escherichia coli clone and *Rhodospirillum rubrum*, and crystallization of the activated ternary complex of ribulose-1,5-bisphosphate carboxylase-oxygenase, 781
Escherichia coli, genetic reconstruction and functional analysis of the repeating lipoyl domains in the pyruvate dehydrogenase multienzyme complex, 743
Escherichia coli, n.m.r. study of the proton exchange rate in the operator-promoter DNA sequence of the *trp* operon, 689
Escherichia coli S10 ribosomal protein operon, genetic dissection of stringent control and nutritional shift-up response, 701
Escherichia coli, substrate specificity of the DNA unwinding activity of the RecBC enzyme, 431
Escherichia coli threonyl-tRNA synthetase expression *in vivo*, autogenous control, 93
Evolution of the lipoprotein gene in the Enterobacteriaceae. Cloning and DNA sequence of the *lpp* gene from *Proteus mirabilis*, 501
Evolution and structure of the fibrinogen genes. Random insertions of introns or selective loss?, 1
Evolutionary history and exon shuffling. Complete structure of the hamster αA crystallin gene, 273
Excision-amplification of mitochondrial DNA during senescence

Operator-promoter DNA sequence of the *trp* operon of *Escherichia coli*, n.m.r. study of the proton exchange rate, 689
O-protonation and salt effects. Mechanism of surface peptide proton exchange in bovine pancreatic trypsin inhibitor, 421
Organization, primary, of nucleosomes. Interaction of non-histone high mobility group proteins 14 and 17 with nucleosomes, as revealed by DNA–protein crosslinking and immunoaffinity isolation, 329

P2 *lac* properties *in vivo* and *in vitro*. An overlapping RNA polymerase binding site within the lactose promoter, 535
p^r115, lactose promoter mutation, activates an overlapping promoter within the lactose control region, 525
Pabo, C. O. (see also Jordan, S. R.), 445
Packaging, DNA, of bacteriophage T4 proheads *in vitro*. Evidence that prohead expansion is not coupled to DNA packaging, 565
Packing symmetry of hexon and its implications for viral architecture. The structure of the adenovirus capsid, 125
Packman, L. C. (see also Guest, J. R.), 743
Pain, R. H. (see also Craig, S.), 681
Pairing, homologous, promoted by recA protein; intermediates; isolation and characterization of active presynaptic complexes, 295
Pal, G. P. (see also Choe, H.-W.), 781
Pancreas-specific promoters, strong, regulate expression of mouse *Amy*-2^a alpha-amylase genes, 285
Partition of unit-copy miniplasmids to daughter cells. DNA sequence and functional organization of the P1 partition region, 261
Pasek, M. (see also Henco, K.), 277
Patient, R. K. (see also Greaves, D. R.), 461
Peptide amide protons, hydrogen kinetics at the bovine pancreatic trypsin inhibitor protein–solvent interface, 405
Peptide surface proton exchange mechanism in bovine pancreatic trypsin inhibitor. Salt effects and O-protonation, 421
Perham, R. N. (see also Guest, J. R.), 743
Perry, M., Thomsen, G. H. & Roeder, R. G., Genomic organization and nucleotide sequence of two distinct histone gene clusters from *Xenopus laevis*. Identification of novel conserved upstream sequence elements, 479
Persson, T. (see also Åslund, L.), 509
Peterson, M. L. & Reznikoff, W. S., Lactose promoter mutation p^r115 activates an overlapping promoter within the lactose control region, 525
Peterson, M. L. & Reznikoff, W. S., Properties of *lac* P2 *in vivo* and *in vitro*. An overlapping RNA polymerase binding site within the lactose promoter, 535
Petrucco, S. (see also Hagenbüchle, O.), 285
Pettersson, U. (see also Åslund, L.), 509
Plasmid DNA synthesis, an inhibitor of primer formation. Processing enzyme ribonuclease E specifically cleaves RNA I, 713
Plasmid P1 partition region, the DNA sequence and functional organization; partition of unit-copy miniplasmids to daughter cells, 261
Plasmid R1162 copy number is determined by the amounts of essential plasmid-encoded proteins, 755
"Plasmids", DNA sequence analysis. Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*, 659
Plasmids, nuclear associated, presence in the lower eukaryote *Dictyostelium discoideum*, 447
Plasmodium falciparum, highly reiterated non-coding sequence in the genome is composed of 21 base-pair tandem repeats, 509
Plumbridge, J. A. (see also Springer, M.), 93
Podospora anserina, excision-amplification of mitochondrial DNA during senescence. DNA sequence analysis of three unique "plasmids", 659
Polyamine binding to a defined DNA sequence, n.m.r. studies, 457
Polyethylene glycol contaminants induce elongation factor Tu-GDP crystal polymorphism, 215
Polypeptides, lysine-rich, and proteins, interaction with DNA; the influence of polypeptide composition and secondary structure, 371
Prentki, P. (see also Zerbib, D.), 517
Presynaptic complexes, isolation and characterization; intermediates in homologous pairing promoted by recA protein, 295
Processing enzyme ribonuclease E specifically cleaves RNA I. An inhibitor of primer formation in plasmid DNA synthesis, 713
Proheads, T4, DNA packaging *in vitro*. Evidence that prohead expansion is not coupled to DNA packaging, 565
Protein or gene sequences, confidence limits for homology; the c-*myc* oncogene and adenovirus E1a protein, 39
Protein, recA, and intermediates in homologous pairing; isolation and characterization of active presynaptic complexes, 295
Proteins, calculations of electrostatic energies; the energetics of ionized groups in bovine pancreatic trypsin inhibitor, 389
Proteins and lysine-rich polypeptides, interaction with DNA; the influence of polypeptide composition and secondary structure, 371
Proteins, non-histone high mobility group 14 and 17, interaction with nucleosomes, as revealed by DNA–protein crosslinking and immunoaffinity isolation; primary organization of nucleosomes, 329
Protein–solvent interface, bovine pancreatic trypsin inhibitor, hydrogen kinetics of peptide amide protons, 405
Proteolysis, limited, and subunit-specific antibodies; probing of tubulin domains, 311
Proteus mirabilis, cloning and DNA sequence of the *lpp* gene. Evolution of the lipoprotein gene in the Enterobacteriaceae, 501
Proton exchange mechanism, surface peptide, in bovine pancreatic trypsin inhibitor. Salt effects and O-protonation, 421
Proton exchange rate in the operator-promoter DNA sequence of the *trp* operon of *Escherichia coli*, a n.m.r. study, 689
Pruss, G. J., DNA topoisomerase I mutants. Increased heterogeneity in linking number and other replicon-dependent changes in DNA supercoiling, 51
Pseudogenes: structural relationship of human interferon alpha genes and pseudogenes, 227
Psoralen cross-linking and locolization of a base-paired interaction between small nuclear RNAs U4 and U6 in intact U4/U6 ribonucleoprotein particles, 721
Puigjaner, L. (see also Azorin, F.), 371
Pyruvate dehydrogenase multienzyme complex of *Escherichia coli*, genetic reconstruction and functional analysis of the repeating lipoyl domains, 743

Quax, W. (see also Van Den Heuvel, R.), 273

R1162 plasmid copy number is determined by the amounts of essential plasmid-encoded proteins, 755
Radding, C. M. (see also Tsang, S. S.), 295
recA protein and intermediates in homologous pairing; isolation and characterization of active presynaptic complexes, 295
RecBC enzyme of *Escherichia coli*, substrate specificity of the DNA unwinding activity, 431
Beedy, M. C. (see also Reedy, M. K.), 145
Reedy, M. K. & Reedy, M. C., Rigor crossbridge structure in tilted single filament layers and flared-X formations from insect flight muscle, 145
Refinement of the solution structure of the *B* DNA hexamer 5′d(C-G-T-A-C-G)$_2$ on the basis of inter-proton distance data, 219
Regulation of the S10 ribosomal protein operon of *Escherichia coli*, 701
Reid, B. R. (see also Wemmer, D. E.), 457
Repressor, Arc, crystallization, 445
Reznikoff, W. S. (see also Peterson, M. L.), 525, 535
Rhodospirillum rubrum and an *Escherichia coli* clone, and crystallization of the activated ternary complex of ribulose-1,5-bisphosphate carboxylase-oxygenase, 781
Ribbons, dimer, in the three-dimensional structure of sarcoplasmic reticulum, 579

Ribonuclease E specifically cleaves RNA I. An inhibitor of primer formation in plasmid DNA synthesis, 713
RNA polymerase, bacteriophage T4-modified, initiation of transcription independently of host sigma factor, 83
RNA polymerase binding site, overlapping, within the lactose promoter. Properties of *lac* P2 *in vivo* and *in vitro*, 535
RNA polymerase III transcription factor, electron-microscopic examination of binding to a tRNA gene, 451
RNA polymerase–DNA interactions in *Streptomyces*. *In vitro* studies of a *S. lividans* plasmid promoter with *S. coelicolor* RNA polymerase, 177
RNA I is specifically cleaved by processing enzyme ribonuclease E. An inhibitor of primer formation in plasmid DNA synthesis, 713
RNAs, small nuclear, U4 and U6, base-paired interaction in intact U4/U6 ribonucleoprotein particles, localization by psoralen cross-linking, 721
Ribonucleoprotein intact U4/U6 particles, base-paired interaction between small nuclear RNAs U4 and U6, localization by psoralen cross-linking, 721
Ribosomal S10 protein operon of *Escherichia coli*, genetic dissection of stringent control and nutritional shift-up response, 701
Ribulose-1,5-bisphosphate carboxylase-oxygenase complex isolated from *Rhodospirillum rubrum* and for an *Escherichia coli* clone; crystallization, 781
Rigor crossbridge structure in tilted single filament layers and flared-X formations from insect flight muscle, 145
Rinke, J., Appel, B., Digweed, M. & Lührmann, R., Localization of a base-paired interaction between small nuclear RNAs U4 and U6 in intact U4/U6 ribonucleoprotein particles by psoralen cross-linking, 721
Roeder, R. G. (see also Perry, M.), 479
Rossmann, M. G. (see also Fita, I.), 21
Rühl, U. (see also Mandelkow, E.-M.), 311
Russel, S. T. & Warshel, A., Calculations of electrostatic energies in proteins. The energetics of ionized groups in bovine pancreatic trypsin inhibitor, 389

S10 ribosomal protein operon of *Escherichia coli*, genetic dissection of stringent control and nutritional shift-up response, 701
Salt effects and O-protonation. Mechanism of surface peptide proton exchange in bovine pancreatic trypsin inhibitor, 421
Sarcoplasmic reticulum, dimer ribbons in the three-dimensional structure, 579
Sauer, R. T. (see also Jordan, S. R.), 445
Schamböck, A. (see also Henco, J. R.), 227
Schedl, P. (see also Udvardy, A.), 341
Schibler, U. (see also Hagenbüchle, O.), 285
Schmid, J. (see also Henco, K.), 227
Senescence in *Podospora anserina*, and excision-amplification of mitochondrial DNA. DNA sequence analysis of three unique "plasmids", 659
Sequence, $(A\text{-}T)_{34}$, from a *Xenopus* globin gene, and facile cruciform formation, 461
Sequence, DNA, analysis of three unique "plasmids". Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*, 659
Sequence, DNA, defined, n.m.r. studies of polyamine binding, 457
Sequence, DNA, and functional organization of the P1 partition region. Partition of unit-copy miniplasmids to daughter cells, 261
Sequence, DNA, of the *lpp* gene from *Proteus mirabilis*, 501
Sequence, non-coding, highly reiterated, in the genome of *Plasmodium falciparum* is composed of 21 base-pair tandem repeats, 509
Sequence, nucleotide, and genomic organization of two distinct histone gene clusters from *Xenopus laevis*. Identification of novel conserved upstream sequence elements, 479
Sequence organization and control of transcription in the bacteriophage T4 tRNA region, 545
Sequences, gene, confidence limits for homology; the c-*myc* oncogene and adenovirus E1a protein, 39
Serine proteases, bovine, and their zymogens, dynamic and structural properties of the calcium binding site; a multinuclear n.m.r. and stopped-flow study, 201
Sherwood, C. & Brayer, G. D., Crystallization and preliminary diffraction data for iso-1-cytochrome *c* from yeast, 209
Shick, V. V., Belyavsky, A. V. & Mirzabekov, A. D., Primary organization of nucleosomes. Interaction of non-histone high mobility group proteins 14 and 17 with nucleosomes, as revealed by DNA–protein crosslinking and immunoaffinity isolation, 329
Sigma factor, host, and independent initiation of transcription by bacteriophage T4-modified RNA polymerase, 83
Sinclair, A. (see also Freier, S. M.), 645
Single-stranded loop-containing positively supercoiled DNA is relaxed by bacterial DNA topoisomerase I, 625
Small nuclear RNA gene U1, *Drosophila melanogaster*, linkage to the larval serum protein 1-β gene, 649
Small nuclear RNAs U4 and U6, base-paired interaction in intact U4/U6 ribonucleoprotein particles, localization by psoralen cross-linking, 721
Smith, G. R. (see also Taylor, A. F.), 431
Specificity of insertion of IS*1*, 517
Springer, M., Plumbridge, J. A., Butler, J. S., Graffe, M., Dondon, J., Mayaux, J. F., Fayat, G., Lestienne, P., Blanquet, S. & Grunberg-Manago, M., Autogenous control of *Escherichia coli* threonyl-tRNA synthetase expression *in vivo*, 93
Srivenugopal, K. S. (see also Wemmer, D. E.), 457
Staphylococcal protease, preliminary X-ray data, 651
Staphylococcus aureus mRNA that specifies macrolide–lincosamide–streptogramin resistance. Demonstration of its conformations and of the leader peptide it encodes, 769
Staphylococcus aureus, single amino acid mutations block a late step in the folding of β-lactamase, 681
Stillman, D. J., Better, M. & Geiduschek, E. P., Electron-microscopic examination of the binding of a large RNA polymerase III transcription factor to a tRNA gene, 451
Streptogramin–macrolide–lincosamide resistance specified by mRNA from *Staphylococcus aureus*. Demonstration of mRNA conformations and of the leader peptide it encodes, 769
Streptomyces, RNA polymerase–DNA interactions. *In vitro* studies of a *S. lividans* plasmid promoter with *S. coelicolor* RNA polymerase, 177
Stringent control and nutritional shift-up response of the *Escherichia coli* S10 ribosomal protein operon, 701
Structural and dynamic properties of the calcium binding site of bovine serine proteases and their zymogens. A multinuclear n.m.r. and stopped-flow study, 201
Structural relationship of human interferon alpha genes and pseudogenes, 227
Structure of the adenovirus capsid. An envelope model of hexon at 6 Å resolution, 105
Structure of the adenovirus capsid. The packing symmetry of hexon and its implications for viral architecture, 125
Structure changes, quaternary, in aspartate transcarbamylase studied by X-ray solution scattering. Signal transmission following effector binding, 189
Structure, complete, of the hamster αA crystallin gene. Reflection of an evolutionary history by means of exon shuffling, 271
Structure and evolution of the fibrinogen genes. Random insertion or selective loss?, 1
Structure, fine, axially projected, of collagen fibrils; glutaraldehyde-induced changes, 359
Structure, rigor crossbridge, in tilted single filament layers and flared-X formations from insect flight muscle, 145
Structure, solution, of the *B* DNA hexamer 5′d$(C\text{-}G\text{-}T\text{-}A\text{-}C\text{-}G)_2$, refinement on the basis of inter-proton distance data, 219
Structure, three-dimensional, of sarcoplasmic reticulum, dimer ribbons, 579
Structure of tubulin domains probed by limited proteolysis and subunit-specific antibodies, 311
Structure of *Xenopus* histone gene clusters, 479
Subirana, J. A. (see also Azorin, F.), 371
Substrate specificity of the DNA unwinding activity of the RecBC enzyme of *Escherichia coli*, 431
Supercoiling, DNA, increased heterogeneity in linking number

and other replicon-dependent changes; DNA topoisomerase I mutants, 51
Surface peptide proton exchange mechanism in bovine pancreatic trypsin inhibitor. Salt effects and O-protonation, 421

T4 (see also Bacteriophage), 83, 545, 565
Tauc, P. (see also Hervé, G.), 189
Taylor, A. F. & Smith, G. R., Substrate specificity of the DNA unwinding activity of the RecBC enzyme of *Escherichia coli*, 431
Teleman, O. (see also Chiancone, E.), 201
Thomsen, G. H. (see also Perry, M.), 479
Threonyl-tRNA synthetase, *Escherichia coli*, expression *in vivo*; autogenous control, 93
Tickle, I. J. (see also Clore, G. M.), 219
Todokoro, K. (see also Henco, K.), 227
Tomcsányi, T. & Apirion, D., Processing enzyme ribonuclease E specifically cleaves RNA I. An inhibitor of primer formation in plasmid DNA synthesis, 713
Topoisomerase I, DNA, bacterial, can relax positively supercoiled DNA containing a single-stranded loop, 625
Topoisomerase I, DNA, mutants. Increased heterogeneity in linking number and other replicon-dependent changes in DNA supercoiling, 51
Transcription control and sequence organization in the bacteriophage T4 tRNA region, 545
Transcription factor, RNA polymerase III, binding to a tRNA gene; electron-microscopic examination, 451
Transcription initiation by bacteriophage T4-modified RNA polymerase independently of host sigma factor, 83
Transfer RNA gene, binding to a large RNA polymerase III transcription factor; electron-microscopic examination, 451
Transfer RNA region, T4, sequence organization and control of transcription, 545
trp operon of *Escherichia coli*, n.m.r. study of the proton exchange rate in the operator-promoter DNA sequence, 689
Tsang, S. S., Muniyappa, K., Azhderian, E., Gonda, D. K., Radding, C. M., Flory, J. & Chase, J. W., Intermediates in homologous pairing promoted by recA protein. Isolation and characterization of active presynaptic complexes, 295
Tubulin domains probed by limited proteolysis and subunit-specific antibodies, 311
Tüchsen, E. & Woodward, C., Hydrogen kinetics of peptide amide protons at the bovine pancreatic trypsin inhibitor protein–solvent interface, 405
Tüchsen, E. & Woodward, C., Mechanism of surface peptide proton exchange in bovine pancreatic trypsin inhibitor. Salt effects and O-protonation, 421
Turner, D. H. (see also Freier, S. M.), 645

U1 small nuclear RNA gene, *Drosophila melanogaster*, linkage to the larval serum protein 1-β gene, 649
U4/U6 ribonucleoprotein intact particles, base-paired interaction between small nuclear RNAs U4 and U6, localization by psoralen cross-linking, 721
Udvardy, A., Maine, E. & Schedl, P., The 87A7 chromomere. Identification of novel chromatin structures flanking the heat shock locus that may define the boundaries of higher order domains, 341
URA1 and *URA3* yeast promoters. Examples of positive control, 65

Vachette, P. (see also Hervé, G.), 189
Van Den Heuvel, R., Hendriks, W., Quax, W. & Bloemendal, H., Complete structure of the hamster αA crystallin gene. Reflection of an evolutionary history by means of exon shuffling, 273
Van Tuyle, G. C. (see also Hagenbüchle, O.), 285
Vershon, A. K. (see also Jordan, S. R.), 445
Vibert, P. (see also Castellani, L. 579
Vives, J. (see also Azorin, F.), 371

Walchli, M. (see also Henco, K.), 227
Wang, D., Bode, W. & Huber, R., Bovine chymotrypsinogen A. X-ray crystal structure analysis and refinement of a new crystal form at 1·8 Å resolution, 595
Wang, J. C. (see also Kirkegaard, K.), 625
Warshel, A. (see also Russell, S. T.), 389
Weber, K. (see also Kaufmann, E.), 733
Weisblum, B. (see also Mayford, M.), 769
Weissmann, C. (see also Henco, K.), 227
Welker, D. L. (see also Noegel, A.), 447
Wellauer, P. K. (see also Hagenbüchle, O.), 285
Wemmer, D. E., Srivenugopal, K. S., Reid, B. R. & Morris, D. R., Nuclear magnetic resonance studies of polyamine binding to a defined DNA sequence, 457
Westin, G. (see also Åslund, L.), 509
White, J. L. (see also Burnett, R. M.), 105
Wigzell, H. (see also Åslund, L.), 509
Williams, K. L. (see also Noegel, A.), 447
Woodward, C. (see also Tüchsen, E.), 405, 421

Xenopus globin gene, facile cruciform formation by an $(A\text{-}T)_{34}$ sequence, 461
Xenopus laevis, genomic organization and nucleotide sequence of two distinct histone gene clusters; identification of novel conserved upstream sequence elements, 479
X-ray crystal structure analysis and refinement of a new crystal form of bovine chymotrypsinogen A at 1·8 Å resolution, 595
X-ray data, preliminary, for staphylococcal protease, 651
X-ray diffraction study of fast and slow mammalian skeletal muscle in the live relaxed state, 211
X-ray solution scattering study of quaternary structure changes in aspartate transcarbamylase. Signal transmission following effector binding, 189

Yeast, crystallization and preliminary diffraction data for iso-1-cytochrome *c*, 209
Yeast promoters *URA1* and *URA3*. Examples of positive control, 65

Zappe, H. A. & Maéda, Y., X-ray diffraction study of fast and slow mammalian skeletal muscle in the live relaxed state, 211
Zengel, J. M. (see also Freedman, L. P.), 701
Zerbib, D., Gamas, P., Chandler M., Prentki, P., Bass, S. & Galas, D., Specificity of insertion of IS*1*, 517